

# Pushover - Notifications

- [Konto und API-KEY anlegen](#)
- [Pushover - Android App einrichten](#)
- [Pushover in Checkmk konfigurieren](#)

# Konto und API-KEY anlegen


## Beschreibung:

Um Pushover notifications nutzen zu können braucht man ein konto dort. Die App kostet einmalig 5 USD Dollar pro Plattform (iOS, Android, Desktop) und ist zu verschmerzen.

Anmelden unter <https://pushover.net/>

## Registrierung:

Nach anmeldung und Freischaltung durch Emailbestätigung, wieder einloggen und auf das Pushover logo klicken.



To send a notification to your device, you'll first need to install the app on your iOS or Android device.

Oben rechts steht unser User Key den brauchen wir auch später, also den auch im Passwortsafe speichern

### Push a Notification

To send a notification to your device, you'll first need to [install the app](#) on your iOS or Android device.

### Your User Key

To receive notifications from a Pushover-powered [application](#), service, or website, just supply your user key:



To receive Pushover notifications from e-mails, send to:

hm4dm1mx2t@pomail.net


Danach auf Create an Application/API Token klicken

You do not have any enabled quiet hours.

### Your Devices [\(Add Phone, Tablet, or Desktop\)](#) [\(View Your Licenses\)](#)

No devices registered. Install our [Android](#) or [iOS client](#) on your device to get started.

### Your E-Mail Aliases [\(Create an E-Mail Alias\)](#)

Address	Settings
 hm4dm1mx2t@pomail.net	Deliver to all of your devices (default)

### Your Delivery Groups [\(Create a Group\)](#)

No delivery groups created yet.

### Your Custom Sounds [\(Upload a Sound\)](#)

No custom sounds uploaded yet.

### Your Applications [\(Create an Application/API Token\)](#)

Nun einen Namen und eine Beschreibung vergeben.  
Die AGB akzeptieren und auf Create Application klicken

## Create New Application/API Token

To start pushing notifications with Pushover, you'll need to create an Application and get a unique [API token](#), which you can do here. Each website, service, application, plugin, etc. may only be registered once and each application can send 10,000 messages per month for free. Additional message capacity may be purchased after creating an application. For more on monthly limits, see our [API page](#).

### Application Information

**Name:**   
*This name should be short (20 character maximum), such as "Nagios", "Adium", or "Network Monitor".  
If messages are sent with no title, this name will be displayed.*

**Description:**

**URL:**   
*If this is a public app/plugin, you can include a URL to point to a homepage, Github repo, or anything else related to the app.*

**Icon:**  Keine Datei ausgewählt.  
*To customize your app's notifications, upload a 72x72 icon in PNG format (transparent background preferred). Any images not 72x72 will be resized.*

By checking this box, you agree that you have read our [Terms of Service](#) and our [Guide to Being Friendly to our API](#). Only one API token may be registered per source and you agree that this token will not be used to circumvent our free usage allowance.

Nun bekommen wir unseren API KEY, diesen kopieren wir uns zum Beispiel in einen Passwortsafe



# Pushover - Android App einrichten

Beschreibung:

Ap aus dem App Store installieren, dazu Playstore öffnen oder link folgen

<https://play.google.com/store/apps/details?id=net.superblock.pushover>

Auf installieren klicken

Über diese Ergebnisse ⓘ


 **Pushover**  
Pushover, LLC  
In-App-Käufe

**Installieren**

4,7 ★  
4132 Rezensionen ⓘ

Mehr als 100.000 Downloads

USK ab 0 Jahren ⓘ



Einfache Push-Benachrichtigungen

Werbeanzeigen • Passend zu deiner Suche

			
<b>Taskito:</b> To-Do-List, Plan... 4,4 ★	<b>Count Masters:</b> Laufen Krieg 3,7 ★	<b>Retouch -</b> Objekte entfernen 4,3 ★	<b>M...</b> 4,

Das könnte dir auch gefallen →



Nun auf login klicken

# Pushover

## Create a Pushover Account

Welcome to Pushover! To get started, you'll first need to create an account.


By signing up, you agree to our [Terms of Service](#)

CREATE ACCOUNT

Already have a Pushover account?

LOGIN

Emailadresse und Passwort zum Account eingeben und wieder auf Login klicken



Einen Gerätenamen vergeben und auf Add Device klicken

**Add This Device to Your Account**

Before you can start pushing messages to this device, you'll need to give it a short name. This can be used to push certain messages directly to this device rather than all devices on your account.

This name should be short, with no spaces. Letters, numbers, dashes, and underscores are okay.

**Device Name****ADD DEVICE**

Fertig Programm kann geschlossen werden.



Welcome to Pushover!

13:37

This device (**oneplus7pro**) is now able to receive notifications and your **30-day trial** has started.

Visit <https://pushover.net/apps> to view apps, plugins, and services to use with Pushover just by supplying your user key:

[redacted]3kea

You can also get notifications from e-mails sent to your Pushover address:

[redacted]@pomail.net

Done, close programm




# Pushover in Checkmk konfigurieren

## Beschreibung:


Pushover Application in Checkmk konfigurieren.

## Einrichtung:

Checkmk Webseite öffnen , dann auf Setup dort notific eingeben und dann auf Setup -> Notifications



Dort dann auf add Rule




Nun Description ausfüllen

Den API KEy : da kommt der Appkey rein

Nun User / Group Key : Da kommt der User Key rein. Im Pushoverdashboard rechts oben zu finden

Danach auf save




Nun haben wir eine neue Notification pushover

Global notification rules						
Actions	Type	Plugin	Bulk	Description	Contacts	Conditions
	✓	pushover		Pushover notification	• all contacts of the notified object	(no conditions)
	✓	mail		Notify all contacts of a host/service via HTML email	• all contacts of the notified object	(no conditions)


## Testen Der Benachrichtigung:

test ausführen


Dazu gehen wir auf irgendeinen Service




Dann auf Commands und Custom notification




Nun einen test Text eintragen und auf send klicken



Noch auf confirm klicken....




...und schon geht die Nachricht raus




In der App auf dem Android Phone andere Plattformen ähnlich.

Push Benachrichtigung



Oder in der Pushover App auf das Burgermenü, dann auf Checkmk



Nun sieht man alle jemsld empfangenden Nachrichten



terminal [redacted]/Check\_MK Discovery 13:45  
Custom Notification (CRIT)

no unmonitored services found, no vanished services found, no new host labels, [agent] Communication failed: [Errno 111] Connection refused(!!)



terminal [redacted]/Check\_MK Custom Notification (CRIT) 13:45

[agent] Communication failed: [Errno 111] Connection refused(!!), execution time 0.0 sec



jr-wawclient/Log System Custom Notification (CRIT) 13:45

405 WARN, 40 CRIT messages (Last worst: "Jun 13 23:17:00 49152.7000 Service\_Control\_Manager Der Dienst "StarfaceUccApiRegistryService" wurde aufgrund folgenden Fehlers nicht gestartet: %%2")



[redacted]nt/Log Security Custom Notification (CRIT) 13:45

2 CRIT messages (Last worst: "Mar 29 12:08:12 0.6281 Microsoft-Windows-Security-Auditing Von der Codeintegrität wurde festgestellt, dass die Seitenhashes einer Abbilddatei ungültig sind. Die Datei ist möglicherweise nicht ordnungsgemäß mit Seitenhashes signiert oder wurde durch eine nicht autorisierte Änderung beschädigt. Die ungültigen Hashes können auf einen potenziellen Fehler des Datenträgergeräts hinweisen. Dateiname: \Device\HarddiskVolume 2\Windows\System32\aeptic.dll")



[redacted]/Log Application Custom Notification (CRIT) 13:45

1336 WARN, 124 CRIT messages (Last worst: "Jun 01 14:59:45 32768.264 Microsoft-Windows-Defrag Die

